


ITEM NO.	QTY. -041	PART NUMBER	DESCRIPTION
1	X	D4055-041	FUEL TANK ASSEMBLY
2	1	D3997-1	PLACARD "FUEL JET A1"
3	2	D3997-5	PLACARD "AUX FUEL DRAIN"
4	1	D3997-11	PLACARD "LOADING"
5	1	D3997-17	PLACARD "STOWAGE"
6	1	D3997-29	PLACARD "WARNING"
7	1	D3997-43	PLACARD "EARTH"
8	1	D3999-7	CORNER
9	1	D3999-9	ANGLE
10	1	D3999-11	EARTH TAB
11	1	D3999-041	BAFFLE ASSEMBLY, AFT
12	1	D3999-043	BAFFLE ASSEMBLY, FWD
13	1	D4000-1	FUEL SUPPLY FITTING
14	1	D4000-5	FUEL TANK VENT FITTING
15	3	D4000-9	GROMMET
16	1	D4000-041	AFT FUEL SUMP DRAIN ASSEMBLY
17	1	D4000-043	FORWARD FUEL SUMP DRAIN ASSEMBLY
18	1	D4000-045	FUEL PICK UP AND STRAINER ASSEMBLY
19	1	D4001-1	FITTING
20	1	D4008-11	TANK HINGE HALF
21	1	D4008-041	FUEL FILLER SPLASH GUARD ASSEMBLY
22	1	D4023-3	FUEL CAP
23	1	D4025-1	FUEL SENDER
24	1	D4055-1	TANK TOP
25	1	D4055-3	TANK AFT END
26	1	D4055-5	TANK UPPER CUT OUT
27	1	D4055-7	TANK FORWARD END
28	1	D4055-9	TANK BACK
29	1	D4055-11	TANK FRONT AND BOTTOM
30	3	D4057-1	RETAINING RING
31	1	D4404-1	CUSHION
32	1	D4404-5	CUSHION, FWD
33	1	D4404-7	CUSHION, UPPER SIDE
34	1	D4404-9	CUSHION, LOWER SIDE
35	5	AN3H5A	BOLT
36	5	NAS1149D0363J	WASHER


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: TOUCH UP CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "ANSI 61 GREY" (4.3.5.15) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D350-794-041" USING D2729-1 RED DECAL
- 7) WEIGHT: 27.57 lbs
- 8) WELD PER DART QSI 004
- 9) CAP ALL TANK ACCESS POINTS AND PRESSURIZE TANK PER QSI 038 4.3. VERIFY NO LEAKS
- 10) MASK PRIOR TO POWDER COAT
- 11) INSTALL AFTER POWDER COAT
- 12) LOCKWIRE BOLTS AFTER INSTALLATION PER AC 43.13 OR MS33540
- 13) INSTALL CUSHIONS AFTER POWDER COAT USING CONTACT CEMENT. TRIM TO FIT IF REQUIRED.



D4055-041 FUEL TANK ASSEMBLY



C	ADDED ITEMS 32, 33, 34, ZONE B8-1. ADDED NOTE 8, ZONE A8-1. CHANGED POWDER COAT FROM "GREY SANDTEX" TO "ANSI 61 GREY", ZN A8-1. DELETED INSTRUCTIONS FOR SLOSHING COMPOUND, ZN A8-3.	DC	12.01.20
B	MOVE CAP POSITION AND CHANGE CAP DESIGN. CHANGE FINISH REQUIREMENTS FOR ALL PARTS. ADD CUSHION UNDER TANK, CORRECT PART NUMBERS	HS	11.05.12
A	NEW ISSUE	HS	10.04.16
REV.	DESCRIPTION	BY	DATE
DESIGN	DC	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DC		
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	DC	D4055	SHEET 1 OF 15
APPROVED	DC	TITLE	SCALE
DE APPR.	DC	TANK	NTS
DATE	12.01.20	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



**D4055-041 FUEL TANK ASSEMBLY
D4055-9 TANK BACK REMOVED
TO SHOW INTERIOR DETAIL**




**DETAIL A
ROTATED FOR CLARITY
SCALE 2X**


B6-2

RELEASED
2012-02-27

DESIGN	<i>JS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>DC</i>		
CHECKED	<i>JS</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>EE</i>	D4055	SHEET 2 OF 15
APPROVED	<i>ND</i>	TITLE	SCALE
DE APPR.	<i>TH</i>	TANK	NTS
DATE	12.01.20	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



**D4055-041 FUEL TANK ASSEMBLY
WELDING DETAIL**



**DETAIL B
ROTATED FOR CLARITY
SCALE 2X**


C4-3

RELEASED
2012-02-27
MD


- NOTES:**
- 1) TRIM FLANGES AS REQUIRED TO FIT ASSEMBLY
 - 2) FINAL CHECK BEFORE LAST PANEL INSTALLED
 - END OF FUEL PICK UP TUBE IS 0.60 OFF THE TANK FLOOR AND 1.96 FROM SIDE WALL
 - FWD AND AFT DRAIN TUBES EXTEND TO CENTER OF TANK
 - ALL SWarf REMOVED
 - 3) ACCEPTABLE TO DRILL 6 (TYP) $\phi 0.312$ HOLES IN TANK TOP TO WELD TOP TO AFT BAFFLE (1 HOLE PER BAFFLE TAB)
 - 4) ACCEPTABLE TO DRILL 7 (TYP) $\phi 0.312$ HOLES IN TANK TOP TO WELD TOP TO FWD BAFFLE (1 HOLE PER BAFFLE TAB)
 - 5) CENTER HINGE BELOW FUEL CAP FLANGE
 - 6) POSITION FUEL CAP FLANGE AS SHOWN, ELONGATED HOLE APPROXIMATELY HORIZONTAL
 - 7) POSITION FUEL CAP FLANGE SO THAT INNER FACE IS FLUSH WITH INSIDE OF TANK



DESIGN	<i>JS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>BC</i>		
CHECKED	<i>JS</i>	DRAWING NO. D4055	REV. C
MFG. APPR.	<i>JS</i>	SHEET 3 OF 15	
APPROVED	<i>MD</i>	TITLE	SCALE
DE APPR.	<i>MD</i>	TANK	NTS
DATE	12.01.20	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




**D4055-041 FUEL TANK ASSEMBLY
WELDING DETAIL**



**DRAIN TUBE INSTALLATION - TYP
VIEWED FROM ABOVE
FWD END SHOWN, AFT END OPPOSITE**

RELEASED
2012-02-27
AM

DESIGN	<i>JS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>DC</i>		
CHECKED	<i>JS</i>	DRAWING NO. D4055	REV. C
MFG. APPR.	<i>JS</i>	SHEET 4 OF 15	
APPROVED	<i>MP</i>	TITLE	SCALE
DE APPR.	<i>MP</i>	TANK	NTS
DATE	12.01.20	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




D4055-1 TANK TOP

RELEASED
2012-02-27
MP

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.063 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S.063
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 2.68 lbs

DESIGN	JS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DC		
CHECKED	JS	DRAWING NO.	REV. C
MFG. APPR.	EE	D4055	SHEET 5 OF 15
APPROVED	MP	TITLE	SCALE
DE APPR.	MP	TANK	NTS
DATE	12.01.20	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




D4055-3 TANK AFT END

RELEASED
2012-02-27
MD

- NOTES:**
- 1) MATERIAL: MADE FROM D4055-3F
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 1.30 lbs

DESIGN	<i>JS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>BC</i>		
CHECKED	<i>JS</i>	DRAWING NO. D4055	REV. C
MFG. APPR.	<i>EE</i>	SHEET 6 OF 15	
APPROVED	<i>MD</i>	TITLE	SCALE
DE APPR.	<i>TH</i>	TANK	NTS
DATE	12.01.20	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	






D4055-3F FLAT PATTERN

- NOTES:**
- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.063 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S.063
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 1.30 lbs

RELEASED
2012-02-27

DESIGN	<i>DE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>DC</i>		
CHECKED	<i>DE</i>	DRAWING NO. D4055	REV. C
MFG. APPR.	<i>E</i>	SHEET 7 OF 15	
APPROVED	<i>MD</i>	TITLE	SCALE
DE APPR.	<i>TH</i>	TANK	NTS
DATE	12.01.20	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



D4055-5 UPPER CUT OUT



RELEASED
2012-02-27
MD

NOTES:

- 1) MATERIAL: MADE FROM D4055-5F
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.10 lbs

DESIGN	DC	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DC		
CHECKED	DC	DRAWING NO. D4055	REV. C
MFG. APPR.	EE	SHEET 8 OF 15	
APPROVED	MD	TITLE	SCALE
DE APPR.	TH	TANK	NTS
DATE	12.01.20	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

D
C
B
A



D4055-5F FLAT PATTERN

NOTES:




- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.063 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S.063
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.10 lbs

RELEASED
2012-02-27
MD

DESIGN	<i>JS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>DC</i>		
CHECKED	<i>JS</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>FE</i>	D4055	SHEET 9 OF 15
APPROVED	<i>MD</i>	TITLE	SCALE
DE APPR.	<i>TH</i>	TANK	NTS
DATE	12.01.20	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

8 7 6 5 4 3 2 1

D
C
B
A



D
C
B
A

D4055-7 TANK FORWARD END


NOTES:

- 1) MATERIAL: MADE FROM D4055-7F
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 2.56 lbs

RELEASED
2012-02-23
JH

DESIGN	<i>JS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>DC</i>		
CHECKED	<i>JS</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>EE</i>	D4055	SHEET 10 OF 15
APPROVED	<i>MP</i>	TITLE	SCALE
DE APPR.	<i>JH</i>	TANK	NTS
DATE	12.01.20	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

D
C
B
A



D4055-7F FLAT PATTERN

RELEASED
2012-02-27
MD

- NOTES:
- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.063 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S.063
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 2.56 lbs

DESIGN	JS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	BC		
CHECKED	JS	DRAWING NO.	REV. C
MFG. APPR.	EE	D4055	SHEET 11 OF 15
APPROVED	MP	TITLE	SCALE
DE APPR.	MP	TANK	NTS
DATE	12.01.20	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	





8 7 6 5 4 3 2 1

D

C

B

A







D4055-9 TANK BACK

NOTES:

- 1) MATERIAL: MADE FROM D4055-9F
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 6.41 lbs

RELEASED
2012-02-27

DESIGN	BC	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	BC		
CHECKED	BC	DRAWING NO. D4055	REV. C
MFG. APPR.	EE	SHEET 12 OF 15	
APPROVED	MP	TITLE	SCALE
DE APPR.	HA	TANK	NTS
DATE	12.01.20	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D4055-11 TANK FRONT AND BOTTOM

RELEASED
2012-02-27
MD

NOTES:

- 1) MATERIAL: MADE FROM D4055-11F
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 9.32 lbs

DESIGN	AS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DC		
CHECKED	AS	DRAWING NO. D4055	REV. C
MFG. APPR.	EE	SHEET 14 OF 15	
APPROVED	MD	TITLE	SCALE
DE APPR.	TH	TANK	NTS
DATE	12.01.20	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

